



## Glacier II

### Moderne, effiziente und dekorative LED-Pendelleuchte

- Dekorative LED-Pendelleuchten als effiziente Alternative zu konventionellen Pendelleuchten
- In zwei Baugrößen und zwei Farben erhältlich
- 4 verschiedene Reflektoren für ein breites Anwendungsspektrum
- Deckenbaldachin im selben Look für konsistentes Design in der Lichtlösung
- Contus trunking compatibility through optional adapter accessory



Bei den Fotos, Zeichnungen und lichttechnischen Daten handelt es sich lediglich um Symbolbilder. Für genauere Produktangaben wählen Sie bitte ein Produkt aus.



96629696

### Material / Ausführung

Housing: die-cast aluminium with satin grey/black finish

Reflector: polycarbonate prismatic, glass prismatic, opal glass or grey/black spun aluminium

Suspension wire: braided steel

Ceiling rose (to be ordered separately): die-cast aluminium with satin grey/black finish and white plastic

Contus adapter (to be ordered separately): pre-coated roll form steel, white (similar to RAL9016)

### Installation/Montage

Suspension: adjustable quick-lock 2.5m single wire suspension (supplied). Similar length of pre-installed braided flame retardant silicon cable 5x0.75mm<sup>2</sup> (6x0.75mm<sup>2</sup> for E3). Ceiling rose option (ordered separately) 2x5x2.5mm<sup>2</sup> terminal block.

Contus trunking: using the Contus adapter accessory (ordered separately).

## Glacier II

**Bestellhinweis** Lieferung komplett inklusive LED

| Beschreibung                                             | ILCOS Code | Sockel | Gewicht (kg) | SAP Code |
|----------------------------------------------------------|------------|--------|--------------|----------|
| <b>Glacier II, Aluminiumreflektor</b>                    |            |        |              |          |
| GLAC2 S LED2 1000-830 HFIX EC GY AL GY                   | LED        |        | 1,8          | 96629698 |
| GLAC2 S LED2 1000-830 HFIX EC BK AL BK                   | LED        |        | 1,8          | 96629701 |
| GLAC2 S LED2 1000-840 HFIX EC GY AL GY                   | LED        |        | 1,8          | 96629704 |
| GLAC2 S LED2 1000-840 HFIX EC BK AL BK                   | LED        |        | 1,8          | 96629707 |
| GLAC2 L LED3 3000-830 HFIX EC BK AL BK                   | LED        |        | 4,8          | 96632397 |
| GLAC2 L LED3 3000-830 HFIX EC GY AL GY                   | LED        |        | 4,8          | 96632398 |
| GLAC2 L LED3 3000-840 HFIX EC BK AL BK                   | LED        |        | 4,8          | 96632399 |
| GLAC2 L LED3 3000-840 HFIX EC GY AL GY                   | LED        |        | 4,8          | 96632400 |
| GLAC2 L LED3 5000-830 HFIX EC BK AL BK                   | LED        |        | 4,8          | 96632401 |
| GLAC2 L LED3 5000-830 HFIX EC GY AL GY                   | LED        |        | 4,8          | 96632402 |
| GLAC2 L LED3 5000-840 HFIX EC BK AL BK                   | LED        |        | 4,8          | 96632403 |
| GLAC2 L LED3 5000-840 HFIX EC GY AL GY                   | LED        |        | 4,8          | 96632404 |
| GLAC2 L LED2 7800-830 HFIX EC BK AL BK                   | LED        |        | 4,8          | 96632405 |
| GLAC2 L LED2 7800-830 HFIX EC GY AL GY                   | LED        |        | 4,8          | 96632406 |
| GLAC2 L LED2 7800-840 HFIX EC BK AL BK                   | LED        |        | 4,8          | 96632407 |
| GLAC2 L LED2 7800-840 HFIX EC GY AL GY                   | LED        |        | 4,8          | 96632408 |
| <b>Glacier II, Aluminiumreflektor, basicDIM</b>          |            |        |              |          |
| GLAC2 L LED3 3000-830 BC EC BK AL BK                     | LED        |        | 4,8          | 96632142 |
| GLAC2 L LED3 3000-830 BC EC GY AL GY                     | LED        |        | 4,8          | 96632143 |
| GLAC2 L LED3 3000-840 BC EC BK AL BK                     | LED        |        | 4,8          | 96632144 |
| GLAC2 L LED3 3000-840 BC EC GY AL GY                     | LED        |        | 4,8          | 96632145 |
| GLAC2 L LED3 5000-830 BC EC BK AL BK                     | LED        |        | 4,8          | 96632146 |
| GLAC2 L LED3 5000-830 BC EC GY AL GY                     | LED        |        | 4,8          | 96632147 |
| GLAC2 L LED3 5000-840 BC EC BK AL BK                     | LED        |        | 4,8          | 96632148 |
| GLAC2 L LED3 5000-840 BC EC GY AL GY                     | LED        |        | 4,8          | 96632149 |
| GLAC2 L LED2 7800-830 BC EC BK AL BK                     | LED        |        | 4,8          | 96632150 |
| GLAC2 L LED2 7800-830 BC EC GY AL GY                     | LED        |        | 4,8          | 96632151 |
| GLAC2 L LED2 7800-840 BC EC BK AL BK                     | LED        |        | 4,8          | 96632152 |
| GLAC2 L LED2 7800-840 BC EC GY AL GY                     | LED        |        | 4,8          | 96632153 |
| <b>Glacier II, prismatischer Glasreflektor</b>           |            |        |              |          |
| GLAC2 L LED3 3500-830 HFIX EC BK GL PR                   | LED        |        | 6,8          | 96632409 |
| GLAC2 L LED3 3500-830 HFIX EC GY GL PR                   | LED        |        | 6,8          | 96632410 |
| GLAC2 L LED3 3500-840 HFIX EC BK GL PR                   | LED        |        | 6,8          | 96632411 |
| GLAC2 L LED3 3500-840 HFIX EC GY GL PR                   | LED        |        | 6,8          | 96632412 |
| GLAC2 L LED3 6000-830 HFIX EC BK GL PR                   | LED        |        | 6,8          | 96632413 |
| GLAC2 L LED3 6000-830 HFIX EC GY GL PR                   | LED        |        | 6,8          | 96632414 |
| GLAC2 L LED3 6000-840 HFIX EC BK GL PR                   | LED        |        | 6,8          | 96632415 |
| GLAC2 L LED3 6000-840 HFIX EC GY GL PR                   | LED        |        | 6,8          | 96632416 |
| GLAC2 L LED2 9500-830 HFIX EC BK GL PR                   | LED        |        | 6,8          | 96632417 |
| GLAC2 L LED2 9500-830 HFIX EC GY GL PR                   | LED        |        | 6,8          | 96632418 |
| GLAC2 L LED2 9500-840 HFIX EC BK GL PR                   | LED        |        | 6,8          | 96632419 |
| GLAC2 L LED2 9500-840 HFIX EC GY GL PR                   | LED        |        | 6,8          | 96632420 |
| <b>Glacier II, prismatischer Glasreflektor, basicDIM</b> |            |        |              |          |

## Glacier II

| Beschreibung                                           | ILCOS Code | Sockel | Gewicht (kg) | SAP Code |
|--------------------------------------------------------|------------|--------|--------------|----------|
| GLAC2 L LED3 3500-830 BC EC BK GL PR                   | LED        |        | 6,8          | 96632154 |
| GLAC2 L LED3 3500-830 BC EC GY GL PR                   | LED        |        | 6,8          | 96632155 |
| GLAC2 L LED3 3500-840 BC EC BK GL PR                   | LED        |        | 6,8          | 96632156 |
| GLAC2 L LED3 3500-840 BC EC GY GL PR                   | LED        |        | 6,8          | 96632157 |
| GLAC2 L LED3 6000-830 BC EC BK GL PR                   | LED        |        | 6,8          | 96632158 |
| GLAC2 L LED3 6000-830 BC EC GY GL PR                   | LED        |        | 6,8          | 96632159 |
| GLAC2 L LED3 6000-840 BC EC BK GL PR                   | LED        |        | 6,8          | 96632160 |
| GLAC2 L LED3 6000-840 BC EC GY GL PR                   | LED        |        | 6,8          | 96632161 |
| GLAC2 L LED2 9500-830 BC EC BK GL PR                   | LED        |        | 6,8          | 96632162 |
| GLAC2 L LED2 9500-830 BC EC GY GL PR                   | LED        |        | 6,8          | 96632163 |
| GLAC2 L LED2 9500-840 BC EC BK GL PR                   | LED        |        | 6,8          | 96632164 |
| GLAC2 L LED2 9500-840 BC EC GY GL PR                   | LED        |        | 6,8          | 96632165 |
| <b>Glacier II, opaler Glasreflektor</b>                |            |        |              |          |
| GLAC2 S LED2 1000-830 HFIX EC GY GL OP                 | LED        |        | 2,5          | 96629697 |
| GLAC2 S LED2 1000-830 HFIX EC BK GL OP                 | LED        |        | 2,5          | 96629700 |
| GLAC2 S LED2 1000-840 HFIX EC GY GL OP                 | LED        |        | 2,5          | 96629703 |
| GLAC2 S LED2 1000-840 HFIX EC BK GL OP                 | LED        |        | 2,5          | 96629706 |
| GLAC2 L LED2 9400-830 HFIX EC GY GL OP                 | LED        |        | 6,5          | 96632430 |
| GLAC2 L LED2 9400-840 HFIX EC BK GL OP                 | LED        |        | 6,5          | 96632431 |
| GLAC2 L LED2 9400-840 HFIX EC GY GL OP                 | LED        |        | 6,5          | 96632432 |
| GLAC2 L LED3 3500-830 HFIX EC BK GL OP                 | LED        |        | 6,5          | 96632421 |
| GLAC2 L LED3 3500-830 HFIX EC GY GL OP                 | LED        |        | 6,5          | 96632422 |
| GLAC2 L LED3 3500-840 HFIX EC BK GL OP                 | LED        |        | 6,5          | 96632423 |
| GLAC2 L LED3 3500-840 HFIX EC GY GL OP                 | LED        |        | 6,5          | 96632424 |
| GLAC2 L LED3 6000-830 HFIX EC BK GL OP                 | LED        |        | 6,5          | 96632425 |
| GLAC2 L LED3 6000-830 HFIX EC GY GL OP                 | LED        |        | 6,5          | 96632426 |
| GLAC2 L LED3 6000-840 HFIX EC BK GL OP                 | LED        |        | 6,5          | 96632427 |
| GLAC2 L LED3 6000-840 HFIX EC GY GL OP                 | LED        |        | 6,5          | 96632428 |
| GLAC2 L LED2 9400-830 HFIX EC BK GL OP                 | LED        |        | 6,5          | 96632429 |
| <b>Glacier II, opaler Glasreflektor, basicDIM</b>      |            |        |              |          |
| GLAC2 L LED3 3500-830 BC EC BK GL OP                   | LED        |        | 6,5          | 96632166 |
| GLAC2 L LED3 3500-830 BC EC GY GL OP                   | LED        |        | 6,5          | 96632167 |
| GLAC2 L LED3 3500-840 BC EC BK GL OP                   | LED        |        | 6,5          | 96632168 |
| GLAC2 L LED3 3500-840 BC EC GY GL OP                   | LED        |        | 6,5          | 96632169 |
| GLAC2 L LED3 6000-830 BC EC BK GL OP                   | LED        |        | 6,5          | 96632170 |
| GLAC2 L LED3 6000-830 BC EC GY GL OP                   | LED        |        | 6,5          | 96632171 |
| GLAC2 L LED3 6000-840 BC EC BK GL OP                   | LED        |        | 6,5          | 96632172 |
| GLAC2 L LED3 6000-840 BC EC GY GL OP                   | LED        |        | 6,5          | 96632173 |
| GLAC2 L LED2 9400-830 BC EC BK GL OP                   | LED        |        | 6,5          | 96632174 |
| GLAC2 L LED2 9400-830 BC EC GY GL OP                   | LED        |        | 6,5          | 96632175 |
| GLAC2 L LED2 9400-840 BC EC BK GL OP                   | LED        |        | 6,5          | 96632176 |
| GLAC2 L LED2 9400-840 BC EC GY GL OP                   | LED        |        | 6,5          | 96632177 |
| <b>Glacier II, prismatischer Polycarbonatreflektor</b> |            |        |              |          |
| GLAC2 L LED3 3500-830 HFIX EC BK PC PR                 | LED        |        | 5            | 96632433 |
| GLAC2 L LED3 3500-830 HFIX EC GY PC PR                 | LED        |        | 5            | 96632434 |

## Glacier II

| Beschreibung                           | ILCOS Code | Sockel | Gewicht (kg) | SAP Code |
|----------------------------------------|------------|--------|--------------|----------|
| GLAC2 L LED3 3500-840 HFIX EC BK PC PR | LED        |        | 5            | 96632435 |
| GLAC2 L LED3 3500-840 HFIX EC GY PC PR | LED        |        | 5            | 96632436 |
| GLAC2 L LED3 6000-830 HFIX EC BK PC PR | LED        |        | 5            | 96632437 |
| GLAC2 L LED3 6000-830 HFIX EC GY PC PR | LED        |        | 5            | 96632438 |
| GLAC2 L LED3 6000-840 HFIX EC BK PC PR | LED        |        | 5            | 96632439 |
| GLAC2 L LED3 6000-840 HFIX EC GY PC PR | LED        |        | 5            | 96632440 |
| GLAC2 L LED2 9300-830 HFIX EC BK PC PR | LED        |        | 5            | 96632441 |
| GLAC2 L LED2 9300-830 HFIX EC GY PC PR | LED        |        | 5            | 96632442 |
| GLAC2 L LED2 9300-840 HFIX EC BK PC PR | LED        |        | 5            | 96632443 |
| GLAC2 L LED2 9300-840 HFIX EC GY PC PR | LED        |        | 5            | 96632444 |

### Glacier II, prismatischer Polycarbonatreflektor, basicDIM

|                                      |     |  |   |          |
|--------------------------------------|-----|--|---|----------|
| GLAC2 L LED3 3500-830 BC EC BK PC PR | LED |  | 5 | 96632178 |
| GLAC2 L LED3 3500-830 BC EC GY PC PR | LED |  | 5 | 96632179 |
| GLAC2 L LED3 3500-840 BC EC BK PC PR | LED |  | 5 | 96632180 |
| GLAC2 L LED3 3500-840 BC EC GY PC PR | LED |  | 5 | 96632181 |
| GLAC2 L LED3 6000-830 BC EC BK PC PR | LED |  | 5 | 96632182 |
| GLAC2 L LED3 6000-830 BC EC GY PC PR | LED |  | 5 | 96632183 |
| GLAC2 L LED3 6000-840 BC EC BK PC PR | LED |  | 5 | 96632184 |
| GLAC2 L LED3 6000-840 BC EC GY PC PR | LED |  | 5 | 96632185 |
| GLAC2 L LED2 9300-830 BC EC BK PC PR | LED |  | 5 | 96632186 |
| GLAC2 L LED2 9300-830 BC EC GY PC PR | LED |  | 5 | 96632187 |
| GLAC2 L LED2 9300-840 BC EC BK PC PR | LED |  | 5 | 96632188 |
| GLAC2 L LED2 9300-840 BC EC GY PC PR | LED |  | 5 | 96632189 |

### Glacier II, Notlichtversion, Aluminiumreflektor

|                                         |     |  |     |          |
|-----------------------------------------|-----|--|-----|----------|
| GLAC2 L LED3 3000-830 HFIX E3 BK AL BK  | LED |  | 5,1 | 96632445 |
| GLAC2 L LED3 3000-830 HFIX E3 GY AL GY  | LED |  | 5,1 | 96632446 |
| GLAC2 L LED3 3000-840 HFIX E3 BK AL BK  | LED |  | 5,1 | 96632447 |
| GLAC2 L LED3 3000-840 HFIX E3 GY AL GY  | LED |  | 5,1 | 96632448 |
| GLAC2 L LED3 5000-830 HFIX E3 BK AL BK  | LED |  | 5,1 | 96632449 |
| GLAC2 L LED3 5000-830 HFIX E3 GY AL GY  | LED |  | 5,1 | 96632450 |
| GLAC2 L LED3 5000-840 HFIX E3 BK AL BK  | LED |  | 5,1 | 96632451 |
| GLAC2 L LED3 5000-840 HFIX E3 GY AL GY  | LED |  | 5,1 | 96632452 |
| GLAC2 L LED3 3000-830 HFIX E3D BK AL BK | LED |  | 5,1 | 96635206 |
| GLAC2 L LED3 3000-830 HFIX E3D GY AL GY | LED |  | 5,1 | 96635207 |
| GLAC2 L LED3 3000-840 HFIX E3D BK AL BK | LED |  | 5,1 | 96635208 |
| GLAC2 L LED3 3000-840 HFIX E3D GY AL GY | LED |  | 5,1 | 96635209 |
| GLAC2 L LED3 5000-830 HFIX E3D BK AL BK | LED |  | 5,1 | 96635210 |
| GLAC2 L LED3 5000-830 HFIX E3D GY AL GY | LED |  | 5,1 | 96635211 |
| GLAC2 L LED3 5000-840 HFIX E3D BK AL BK | LED |  | 5,1 | 96635212 |
| GLAC2 L LED3 5000-840 HFIX E3D GY AL GY | LED |  | 5,1 | 96635213 |

### Glacier II, Notlichtversion, Aluminiumreflektor, basicDIM

|                                      |     |  |     |          |
|--------------------------------------|-----|--|-----|----------|
| GLAC2 L LED3 3000-830 BC E3 BK AL BK | LED |  | 5,1 | 96632190 |
| GLAC2 L LED3 3000-830 BC E3 GY AL GY | LED |  | 5,1 | 96632191 |
| GLAC2 L LED3 3000-840 BC E3 BK AL BK | LED |  | 5,1 | 96632192 |

## Glacier II

| Beschreibung                         | ILCOS Code | Sockel | Gewicht (kg) | SAP Code |
|--------------------------------------|------------|--------|--------------|----------|
| GLAC2 L LED3 3000-840 BC E3 GY AL GY | LED        |        | 5,1          | 96632193 |
| GLAC2 L LED3 5000-830 BC E3 BK AL BK | LED        |        | 5,1          | 96632194 |
| GLAC2 L LED3 5000-830 BC E3 GY AL GY | LED        |        | 5,1          | 96632195 |
| GLAC2 L LED3 5000-840 BC E3 BK AL BK | LED        |        | 5,1          | 96632196 |
| GLAC2 L LED3 5000-840 BC E3 GY AL GY | LED        |        | 5,1          | 96632197 |

### Glacier II, Notlichtversion, prismatischer Glasreflektor

|                                         |     |  |     |          |
|-----------------------------------------|-----|--|-----|----------|
| GLAC2 L LED3 3500-830 HFIX E3 BK GL PR  | LED |  | 7,1 | 96632453 |
| GLAC2 L LED3 3500-830 HFIX E3 GY GL PR  | LED |  | 7,1 | 96632454 |
| GLAC2 L LED3 3500-840 HFIX E3 BK GL PR  | LED |  | 7,1 | 96632455 |
| GLAC2 L LED3 3500-840 HFIX E3 GY GL PR  | LED |  | 7,1 | 96632456 |
| GLAC2 L LED3 6000-830 HFIX E3 BK GL PR  | LED |  | 7,1 | 96632457 |
| GLAC2 L LED3 6000-830 HFIX E3 GY GL PR  | LED |  | 7,1 | 96632458 |
| GLAC2 L LED3 6000-840 HFIX E3 BK GL PR  | LED |  | 7,1 | 96632459 |
| GLAC2 L LED3 6000-840 HFIX E3 GY GL PR  | LED |  | 7,1 | 96632460 |
| GLAC2 L LED3 3500-830 HFIX E3D BK GL PR | LED |  | 7,1 | 96635214 |
| GLAC2 L LED3 3500-830 HFIX E3D GY GL PR | LED |  | 7,1 | 96635215 |
| GLAC2 L LED3 3500-840 HFIX E3D BK GL PR | LED |  | 7,1 | 96635216 |
| GLAC2 L LED3 3500-840 HFIX E3D GY GL PR | LED |  | 7,1 | 96635217 |
| GLAC2 L LED3 6000-830 HFIX E3D BK GL PR | LED |  | 7,1 | 96635218 |
| GLAC2 L LED3 6000-830 HFIX E3D GY GL PR | LED |  | 7,1 | 96635219 |
| GLAC2 L LED3 6000-840 HFIX E3D BK GL PR | LED |  | 7,1 | 96635220 |
| GLAC2 L LED3 6000-840 HFIX E3D GY GL PR | LED |  | 7,1 | 96635221 |

### Glacier II, Notlichtversion, prismatischer Glasreflektor, basicDIM

|                                      |     |  |     |          |
|--------------------------------------|-----|--|-----|----------|
| GLAC2 L LED3 3500-830 BC E3 BK GL PR | LED |  | 7,1 | 96632198 |
| GLAC2 L LED3 3500-830 BC E3 GY GL PR | LED |  | 7,1 | 96632199 |
| GLAC2 L LED3 3500-840 BC E3 BK GL PR | LED |  | 7,1 | 96632200 |
| GLAC2 L LED3 3500-840 BC E3 GY GL PR | LED |  | 7,1 | 96632201 |
| GLAC2 L LED3 6000-830 BC E3 BK GL PR | LED |  | 7,1 | 96632202 |
| GLAC2 L LED3 6000-830 BC E3 GY GL PR | LED |  | 7,1 | 96632203 |
| GLAC2 L LED3 6000-840 BC E3 BK GL PR | LED |  | 7,1 | 96632204 |
| GLAC2 L LED3 6000-840 BC E3 GY GL PR | LED |  | 7,1 | 96632205 |

### Glacier II, Notlichtversion, prismatischer Polycarbonatreflektor

|                                         |     |  |     |          |
|-----------------------------------------|-----|--|-----|----------|
| GLAC2 L LED3 3500-830 HFIX E3 BK PC PR  | LED |  | 5,3 | 96632461 |
| GLAC2 L LED3 3500-830 HFIX E3 GY PC PR  | LED |  | 5,3 | 96632462 |
| GLAC2 L LED3 3500-840 HFIX E3 BK PC PR  | LED |  | 5,3 | 96632463 |
| GLAC2 L LED3 3500-840 HFIX E3 GY PC PR  | LED |  | 5,3 | 96632464 |
| GLAC2 L LED3 6000-830 HFIX E3 BK PC PR  | LED |  | 5,3 | 96632465 |
| GLAC2 L LED3 6000-830 HFIX E3 GY PC PR  | LED |  | 5,3 | 96632466 |
| GLAC2 L LED3 6000-840 HFIX E3 BK PC PR  | LED |  | 5,3 | 96632467 |
| GLAC2 L LED3 6000-840 HFIX E3 GY PC PR  | LED |  | 5,3 | 96632468 |
| GLAC2 L LED3 3500-830 HFIX E3D BK PC PR | LED |  | 5,3 | 96635222 |
| GLAC2 L LED3 3500-830 HFIX E3D GY PC PR | LED |  | 5,3 | 96635223 |
| GLAC2 L LED3 3500-840 HFIX E3D BK PC PR | LED |  | 5,3 | 96635224 |

## Glacier II

| Beschreibung                                                                      | ILCOS Code | Sockel | Gewicht (kg) | SAP Code |
|-----------------------------------------------------------------------------------|------------|--------|--------------|----------|
| GLAC2 L LED3 3500-840 HFIX E3D GY PC PR                                           | LED        |        | 5,3          | 96635225 |
| GLAC2 L LED3 6000-830 HFIX E3D BK PC PR                                           | LED        |        | 5,3          | 96635226 |
| GLAC2 L LED3 6000-830 HFIX E3D GY PC PR                                           | LED        |        | 5,3          | 96635227 |
| GLAC2 L LED3 6000-840 HFIX E3D BK PC PR                                           | LED        |        | 5,3          | 96635228 |
| GLAC2 L LED3 6000-840 HFIX E3D GY PC PR                                           | LED        |        | 5,3          | 96635229 |
| <b>Glacier II, Notlichtversion, prismatischer Polycarbonatreflektor, basicDIM</b> |            |        |              |          |
| GLAC2 L LED3 3500-830 BC E3 BK PC PR                                              | LED        |        | 5,3          | 96632206 |
| GLAC2 L LED3 3500-830 BC E3 GY PC PR                                              | LED        |        | 5,3          | 96632207 |
| GLAC2 L LED3 3500-840 BC E3 BK PC PR                                              | LED        |        | 5,3          | 96632208 |
| GLAC2 L LED3 3500-840 BC E3 GY PC PR                                              | LED        |        | 5,3          | 96632209 |
| GLAC2 L LED3 6000-830 BC E3 BK PC PR                                              | LED        |        | 5,3          | 96632210 |
| GLAC2 L LED3 6000-830 BC E3 GY PC PR                                              | LED        |        | 5,3          | 96632211 |
| GLAC2 L LED3 6000-840 BC E3 BK PC PR                                              | LED        |        | 5,3          | 96632212 |
| GLAC2 L LED3 6000-840 BC E3 GY PC PR                                              | LED        |        | 5,3          | 96632213 |
| <b>Glacier II Zubehör</b>                                                         |            |        |              |          |
| THORN CEILING ROSE GY WH                                                          |            |        | 0,5          | 96205307 |
| THORN CEILING ROSE BK WH                                                          |            |        | 0,5          | 96629782 |
| THORN CEILING ROSE BK BK                                                          |            |        | 0,5          | 96632738 |
| THORN CEILING ROSE WH WH                                                          |            |        | 0,5          | 96632739 |
| THORN CEILING ROSE GY GY                                                          |            |        | 0,5          | 96632740 |